



Mon-Droguiste.Com
39 Bis Rue Du Moulin Rouge
10150 Charmont Sous Barbuise
Tél : +33.(0)3.25.41.04.05
Email : contact@mon-droguiste.com
Web : www.mon-droguiste.com

METHANOL FR

MARCH 2022

Description: Clear and free from suspended matter.

<u>Test</u>	<u>Specification</u>	<u>Method</u>
Purity on dry basis (% w/w)	Min. 99.85	
Acetone (mg/kg)	Max. 30	
Ethanol (mg/kg)	Max. 50	
Colour (Pt-Co)	Max. 5	ASTM D1209-11
Water (% w/w)	Max. 0.100	ASTM E1064-12
Distillation range @760mmHg (°C)	Max. 1.0, 64.6°C ±0.1	ASTM D1708-11
Specific gravity 20°C/20°C	0.7910 – 0.7930	ASTM D4052-11
Potassium Permanganate Time test @15°C (m)	Min. 60	ASTM D1363-11
Chloride, as Cl ⁻ (mg/kg)	Max. 0.5	
Sulphur (mg/kg)	Max. 0.5	ASTM D3961-98
Sulphur (mg/kg)	Max. 0.5	ASTM D5453-12
Hydrocarbons	Passes test	ASTM D1722-09
Carbonisable substances (Pt-Co)	Max. 30	ASTM E346-08
Acidity as acetic acid (mg/kg)	Max. 30	ASTM D1613-12
Iron in solution (mg/kg)	Max. 0.10	ASTM E394-09
Non-volatile matter (mg/1000ml)	Max. 8	ASTM D1353-13

Revision 01

Whilst we believe this data to be correct and reliable, we are not responsible for its interpretation and its use, nor should it be construed as a permission to use any product or process in breach of existing patents. This data does not constitute any warranty other than conformity of the product to current specifications published by the sellers or its suppliers. Any relevant legislation governing the use of the product should be observed.