

#### Mon-Droguiste.Com

39 Bis Rue Du Moulin Rouge
10150 Charmont Sous Barbuise

Tél: +33.(0)3.25.41.04.05

Email: contact@mon-droguiste.com

Web: www.mon-droguiste.com

### PEG1500 PHARMA

SALES SPECIFICATION					
Inspection Characteristic	Units	Lower	Upper	Method	
Average molecular weight		1400	1600	1BAL01	
Hydroxyl number	mg KOH/g	70	80	1BAL01	
Clarity at 80°C	Free from haze and turbidity		1BAL02		
Water solubility (25% aqueous)	Free from haze and turbidity		1BAL03		
Suspended matter	Substantially free		1BAL04		
Colour (25% aqueous)	PtCo		25	1BAL05	
pH (5% aqueous)		4,5	7,0	1BAL06	
Sulphated ash	% wt		0,10	1BAL10	
Water	% wt		0,5	1BAL08	
Residual ethylene oxide	ppm		1	1BAL09	
Dioxane	ppm		5	1BAL09	
The product also meets the following which whilst no	ot determined or	n a routine basis	is guaranteed b	y process control	
Acidity (as acetic acid)	% wt		0,0150	1BAL11	
Ethylene and diethylene glycol	% wt		0,20	1BAL12	
Heavy Metals	ppm		5	1BAL14	
Reducing Impurities	Pass test		1BAL40		
Formaldehyde	ppm		15	1BAL44	
Viscosity at 20°C(50% aqueous)	mm²/s	31	46	1BAL16	
Viscosity at 99°C	mm²/s	26	33	1BAL16	
Freezing range	°C	42	48	1BAL49	
Antioxidant BHT (E321)	ppm	30	60	1BAL35	
Expiry date	Years		4	1BAL50	
Food chemicals codex	Conform				
European pharmacopeia	Conform				
USP/NF pharmacopeia	Conform				
EEC and ICH guidelines	Conform				



Octobre 2025 / October 2025

#### **POLYETHYLENE GLYCOL 1500**

INCI: **PEG 32** N°CAS: 25322-68-3 N°EINECS/ELINCS: –

#### **DESCRIPTION / DESCRIPTION:**

Le polyglycol 1500 est un mélange de polymères provenant de l'oxyde d'éthylène, de formule générale  $H-(O-CH_2-CH_2)_n-OH$ . Sa masse moléculaire moyenne est égale à 1500 environ (correspondant à la valeur nominale n) / Polyglycol 1500 is a mixture of polymers derived from ethylene oxide, of general formula  $H-(OCH_2-CH_2)_n-OH$ . Its average molecular weight is about 1500 (corresponding to the nominal value n)

Matière première conforme à la Pharmacopée Européenne en vigueur (monographie: MACROGOLS) / Raw material conforming to the European Pharmacopoeia in force (monography MACROGOLS)

#### **CARACTERISTIQUES GARANTIES / GUARANTEED SPECIFICATIONS:**

CARACTERISTIQUES	SPECIFICATIONS	METHODES / METHODS
Aspect / aspect	Ecailles blanches / White scales	Visuelle / visual
Couleur (aqueuse à 25%) / color (25% aqeuous)	≤ 25 PtCo	1BAL05
Poids moléculaire moyen / average molecular weight	1400 – 1600 g.mol <sup>-1</sup>	1BAL01
Indice d'hydroxyle / hydroxyl content	70 – 80 mg KOH /g	1BAL01
pH (à 5 % dans eau distillé) / pH (5% in distilled water)	4.5 – 7.5	1BAL06
Cendres sulfuriques / sulfuric ashes	≤ 0.1 %	1BAL10
Teneur en eau / water content	≤ 0.5 %	1BAL08
Teneur en oxyde d'éthylène / oxide ethylene content	≤1 ppm	1BAL09
Teneur en dioxane / dioxane content	≤ 5 ppm	1BAL09
Teneur en métaux lourds (comme Pb) / heavy metals content (as Pb)	≤5 ppm	1BAL14
Acidité (en acide acétique) / acidity (as acetic acid)	≤ 0.015 %	1BAL11
Viscosité à 20°C (aqueuse à 50°C) / viscosity at 20°C (50% aqueous)	31 – 46 mm²/s	1BAL16
Teneur en formaldehyde / formaldehyde content	≤ 15 ppm	1BAL44
Teneur en Ethylene glycol / Ethylene glycol content	≤ 0.062 %	1BAL12
Teneur en Diethylene glycol / Diethylene glycol content	≤ 0.1 %	1BAL12

Ces éléments seront repris sur nos BA / these elements will be on our CoA

#### CARACTERISTIQUES A TITRE D'INFORMATION / ADDITIONAL INFORMATION:

Viscosité à 99°C / Viscosity at 99°C: 26 – 33mm².s<sup>-1</sup> (1BAL16) Point de congélation / Freezing range: 42 – 48°C (1BAL49) Antioxydant BHT (E321) / Antioxidant BHT (E321): 30 – 60 ppm Pharmacopée USP/NF: conforme / USP/NF pharmacopoiea: conform Directives EEC et ICH: conforme / EEC and ICH guidelines: conform



Octobre 2025 / October 2025

#### **POLYETHYLENE GLYCOL 1500**

#### **APPLICATIONS:**

Produits pharmaceutiques, cosmétiques, textile, plastiques et résines, industrie du papier, imprimerie, industrie du métal, produits chimiques intermédiaires / Pharmaceuticals, cosmetics, textile, industry, plastics ans resins, paper industry, printing, metal industry, chemical intermediates

#### CONDITIONNEMENT STANDARD / STANDARD PACKAGING:

Sac de 25 kg / 25 kg bag

Matière première non classifiée comme substance dangereuse / raw material not classified as dangerous substance

Additives	It is reasonable to assume that the following impurities; sulphur compounds
Additives	It is reasonable to assume that the following impurities: sulphur compounds,
	acrylic compounds, aromatics compounds, halogenated compounds, mineral oil
	derivates (MOSH, MOAH POSH, POAH), nitrogen compounds are not present in the
	product
	Contain BHT
Allergen	We have every reason to expect that these products are free of food allergens
	(1169/2011) and cosmetics allergen (1223/2009 & 2023/1545)
Animal Testing	We have not conducted, commissioned, or been party to any animal testing for any
	purpose for the material in reference, and its component ingredients since March
	11th, 2013.
BSE - Bovine Spongiform	This product is free from BSE
Encephalopathy	
California Prop 65	This product is not listed under Proposition 65 State Drinking Water and Toxic
•	Enforcement act.
	Polyethylene glycol is manufactured by polymerization of ethylene oxide with either
	water, monoethylene glycol or diethylene glycol as starting materials. Following
	contaminants or byproducts are known to the State of California to cause cancer or
	reproductive toxicity:
	- Ethylene oxide (CAS 75-21-8) < 1 ppm
	- 1,4-dioxane (CAS 123-91-1) < 5 ppm
	- Monoethylene glycol (CAS 107-21-1) < 0.2%
	- Formaldehyde (CAS 50-00-0) < 15 ppm
	- Acetaldehyde (CAS 75-07-0) < 100 ppm
	- Acetaidenyde (CAS 75-07-0) < 100 ppiii
	The Proposition 65 List of 11th of August 2023 was taken into account for this
	declaration.
Carcinogenic, Mutagenic	This product is not tested on a routine basis for the impurities listed as CMR for
	This product is not tested on a routine basis for the imparties listed as civil for
_	
and Reprotoxic (CMR)	reproduction under European regulation 1272/2008/EC, it is reasonable to assume
_	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present:
_	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm,
_	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm,
and Reprotoxic (CMR)	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm
_	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm  (CAS:25322-68-3): polyethylene glycol > 99.5 %
and Reprotoxic (CMR)	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm  (CAS:25322-68-3): polyethylene glycol > 99.5 % + (CAS:75-21-8): ethylene oxide < 1mg/kg
and Reprotoxic (CMR)	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm  (CAS:25322-68-3): polyethylene glycol > 99.5 % + (CAS:75-21-8): ethylene oxide < 1mg/kg + (CAS:107-21-1): monoethylene glycol < 300 mg/kg
and Reprotoxic (CMR)	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm  (CAS:25322-68-3): polyethylene glycol > 99.5 % + (CAS:75-21-8): ethylene oxide < 1mg/kg + (CAS:107-21-1): monoethylene glycol < 300 mg/kg + (CAS:111-46-6): diethylene glycol < 0.15%
and Reprotoxic (CMR)	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm  (CAS:25322-68-3): polyethylene glycol > 99.5 % + (CAS:75-21-8): ethylene oxide < 1mg/kg + (CAS:107-21-1): monoethylene glycol < 300 mg/kg + (CAS:111-46-6): diethylene glycol < 0.15% + (CAS:72-17-3): sodium lactate 0.15%
and Reprotoxic (CMR)	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm  (CAS:25322-68-3): polyethylene glycol > 99.5 % + (CAS:75-21-8): ethylene oxide < 1mg/kg + (CAS:107-21-1): monoethylene glycol < 300 mg/kg + (CAS:111-46-6): diethylene glycol < 0.15% + (CAS:72-17-3): sodium lactate 0.15% + (CAS:123-91-1): dioxane < 5 mg/kg
and Reprotoxic (CMR)  Composition	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm  (CAS:25322-68-3): polyethylene glycol > 99.5 % + (CAS:75-21-8): ethylene oxide < 1mg/kg + (CAS:107-21-1): monoethylene glycol < 300 mg/kg + (CAS:111-46-6): diethylene glycol < 0.15% + (CAS:72-17-3): sodium lactate 0.15% + (CAS:123-91-1): dioxane < 5 mg/kg + (CAS:128-37-0): BHT < 100mg/kg
and Reprotoxic (CMR)	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm  (CAS:25322-68-3): polyethylene glycol > 99.5 % + (CAS:75-21-8): ethylene oxide < 1mg/kg + (CAS:107-21-1): monoethylene glycol < 300 mg/kg + (CAS:111-46-6): diethylene glycol < 0.15% + (CAS:72-17-3): sodium lactate 0.15% + (CAS:123-91-1): dioxane < 5 mg/kg + (CAS:128-37-0): BHT < 100mg/kg  Following specifications are valid for Polyethylene Glycol, mentioned in Annex II of
and Reprotoxic (CMR)  Composition	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm  (CAS:25322-68-3): polyethylene glycol > 99.5 % + (CAS:75-21-8): ethylene oxide < 1mg/kg + (CAS:107-21-1): monoethylene glycol < 300 mg/kg + (CAS:111-46-6): diethylene glycol < 0.15% + (CAS:72-17-3): sodium lactate 0.15% + (CAS:123-91-1): dioxane < 5 mg/kg + (CAS:128-37-0): BHT < 100mg/kg
and Reprotoxic (CMR)  Composition	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm  (CAS:25322-68-3): polyethylene glycol > 99.5 % + (CAS:75-21-8): ethylene oxide < 1mg/kg + (CAS:107-21-1): monoethylene glycol < 300 mg/kg + (CAS:111-46-6): diethylene glycol < 0.15% + (CAS:72-17-3): sodium lactate 0.15% + (CAS:123-91-1): dioxane < 5 mg/kg + (CAS:128-37-0): BHT < 100mg/kg  Following specifications are valid for Polyethylene Glycol, mentioned in Annex II of
and Reprotoxic (CMR)  Composition	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm  (CAS:25322-68-3): polyethylene glycol > 99.5 % + (CAS:75-21-8): ethylene oxide < 1mg/kg + (CAS:107-21-1): monoethylene glycol < 300 mg/kg + (CAS:111-46-6): diethylene glycol < 0.15% + (CAS:72-17-3): sodium lactate 0.15% + (CAS:123-91-1): dioxane < 5 mg/kg + (CAS:128-37-0): BHT < 100mg/kg  Following specifications are valid for Polyethylene Glycol, mentioned in Annex II of Cosmetics Regulation (EC) No 1223/2009:
and Reprotoxic (CMR)  Composition	reproduction under European regulation 1272/2008/EC, it is reasonable to assume that only following impurities are likely to be present: dioxane < 5 ppm, ethylene oxide < 1 ppm, formaldehyde < 15 ppm  (CAS:25322-68-3): polyethylene glycol > 99.5 % + (CAS:75-21-8): ethylene oxide < 1mg/kg + (CAS:107-21-1): monoethylene glycol < 300 mg/kg + (CAS:111-46-6): diethylene glycol < 0.15% + (CAS:72-17-3): sodium lactate 0.15% + (CAS:123-91-1): dioxane < 5 mg/kg + (CAS:128-37-0): BHT < 100mg/kg  Following specifications are valid for Polyethylene Glycol, mentioned in Annex II of Cosmetics Regulation (EC) No 1223/2009: - Formaldehyde: 15 ppm maximum



Octobre 2025 / October 2025

#### **POLYETHYLENE GLYCOL 1500**

	T			
	classified as CMR substances shall be prohibited. However, according to Article 17,			
	the non-intended presence of traces of a prohibited substance, stemming from			
	impurities of natural or synthetic ingredients, the manufacturing process, storage,			
	migration from packaging, which is technically unavoidable in good manufacturing			
	practice, shall be permitted provided that such presence is in conformity with Article			
	3.			
	The product Polyethylene Glycol is not ana			
	listed in Annex III of EC No 1223/2009. However, diethylene glycol is present as an			
		impurity < 0.1%.		
	As a consequence, this product is compliant with cosmetic regulation (EC) No 1223/2009			
Cosmos / Ecocert	This product is synthetic – not accepted by	Cosmos		
Danger	This product is not classified as dangerous	according to CLP and ADR		
Dioxane	Dioxane is likely to be present at concentration < 5 ppm			
Ecolabel		No data available		
European Pharmacopeia	This product is compliant with the current European Pharmacopeia, USP/NF			
	Pharmacopoeia, EEC & ICH guidelines			
Food	This product do not comply with Commissi	on Regulation (EU) No 231/2012 laying		
	down specifications for food additives liste	d in annex II and III of regulation (EC) No		
	1333/2008, since the residual amount of e	thylene oxide on the specifications is 1		
	ppm, which is higher than the 0.2 ppm required			
Genetically Modified	This product is free from GMO			
Organisms (GMO)				
Inventories	Listed in	Philippines PICCS,		
	China IECSC,	Australia AICS,		
	USA TSCA,	Canada DSL,		
	New Zealand NZIoC,	Thailand (TECI, 2012) 55-1-02846		
	Korea ECL (KE-20228),	Japan ENCS/MITI (7-129)		
Geographic origin (for	Not concerned			
plant)				
Glycol ether		No data available		
Halal	1 · · · · · · · · · · · · · · · · · · ·	This product does not have a formal Halal certification, but meet the basic		
_	requirements of Halal (no material of anim	nal origin or biological origin are used)		
Heavy Metals	Heavy metals not expected to be present			
HS code	3907291190			
Irradiation / ionization	This product has not been treated with ionizing			
Kosher	This product is Kosher certified see certificate in our website			
Latex				
Manufacturing location	Latex is not expected in this product  Belgium / Germany			
Microbiological data	This product doesn't contain yeast, enzyme and bacteria			
Microplastics	This restriction does not apply if one of the following requirements is fulfilled:			
iviiei opiasties	- The substance is not a polymer			
	- The polymer is a liquid (melting point or i	nitial melting point of 20°C or less at a		
	standard pressure of 101.3 kPa)	metal metallig point of 20 c of less at a		
	- The polymer is biodegradable			
	- The polymer is soluble: >2 g/L			
	PEG-series (CAS 25322-68-3)			
	- Polyethylene glycols with a molecular wei	ight below 600 Da are considered liquid.		
	PEG 600 Da is borderline and PEGs with a molecular weight above 600 Da are			
	considered solid polymers.			
	- All PEG grades are water soluble >>> 2 g/L			
	=> The microplastics restriction is not applicable for PEG grades			
Nanomaterials	Not expected	<u> </u>		
		Though PEGs are not tested on a routine basis for nitrosamine impurities, the		
Nitrosamines	·	asis for nitrosamine impurities the		



Octobre 2025 / October 2025

#### **POLYETHYLENE GLYCOL 1500**

	production route for does not entail the use of these products in any stage of the
	manufacturing process, nor have they been seen to be produced within the process,
	and from this, it is reasonable to assume that nitrosamines are not present and meet
	the following guidelines:
	• EMA/409815/2020
	• EMA/369136/2020
Nutritional data	No data available
Origin	Petrochemical
PAH/PFAS	Not been tested for the presence of PFAS (per- and polyfluoroalkyl substances), we
	hereby confirm that our products do not contain any intentionally added PFAS.
Pesticide	Not expected
Phthalate	No data available
Preservative	This product contains BHT (< 100mg/kg)
Process	This product is manufactured by reaction of diethylene glycol and ethylene oxide
REACH	This product is a polymer – exempted from REACH (the monomers are registered)
Residual Solvents	No <u>Class</u> 1 solvents are used in the manufacturing process and are not likely to be
	present,
	solvents of <u>Class</u> 2 that are likely to be present:
	- ethylene glycol < 300 mg/kg
	- 1,4 dioxane < 380 mg/kg,
	solvents of <u>Class</u> 3 that are likely to be present :
	-acetic acid < 0.015 %wt,
	No <u>Class</u> 4 solvents are used in the manufacturing process and are not likely to be
	present in the final product according to EMA/CHMP/ICH/82260/2006 (March 2011)
	guideline for residual solvents
RSPO	This product doesn't contain palm derivates – not concerned
Shelf Life before re-check	4 years
Substances of Very High	This product is not listed or contain substances mentioned on the "Candidate List of
Concern (SVHC)	Substances of very High Concern" SVHC published 21/01/2025 in concentration
concern (corre)	≥0.1%
Volatiles organic	- Vapour pressure: < 0.001 kPa (20°C)
compounds (VOC)	- Boiling point: > 200°C (calculated; decomposes)
compounds (voc)	boning point. > 200 e (cancaratea, accomposes)
	0% VOC according to :
	-2010/75/EU
	-2004/42/CE
	-SR814018; 01/01/2017
	-2015/886/EEU
	-2011/383/EU

---- END

Ce document annule et remplace tous documents techniques et réglementaires précédents / This document cancels and replaces all technical and regulatory previous documents.