Shell Chemicals



Technical Datasheet

ShellSol A100

Product Code Q7391

Region Europe

Product Category Aromatic Solvents

CAS Registry Number 64741-95-6

EINECS Number 265-199-0

Description ShellSol A100 is a C9-C10 aromatic hydrocarbon solvent.

Typical Properties

| Property | Unit | Method | Value |
|--------------------------------------|----------------------|------------|--------------|
| Density @15°C | kg/L | ASTM D4052 | 0.880 |
| Coefficient of Cubic Expansion @20°C | 10 ⁻⁴ /°C | Calculated | 9 |
| Refractive Index @20°C | - | ASTM D1218 | 1.504 |
| Colour | Saybolt | ASTM D156 | +30 |
| Bromine Index | mg Br/100g | ASTM D1492 | 300 |
| Copper Corrosion (1hr @100°C) | - | ASTM D130 | 1 |
| Doctor Test | - | ASTM D4952 | Negative |
| Non Volatile Matter | mg/100ml | ASTM D1353 | 1 |
| Distillation, Initial Boiling Point | °C | ASTM D86 | 168 |
| Distillation, Dry Point | °C | ASTM D86 | 181 |
| Relative Evaporation Rate (nBuAc=1) | - | ASTM D3539 | 0.20 |
| Relative Evaporation Rate (Ether=1) | - | DIN 53170 | 50 |
| Antoine Constant A # | kPa, °C | - | 6.74780 |
| Antoine Constant B # | kPa, °C | - | 1912.9 |
| Antoine Constant C # | kPa, °C | - | 240.330 |
| Antoine Constants: Temperature range | °C | - | + 20 to +160 |
| Vapor Pressure @ 0°C | kPa | Calculated | 0.06 |

107 ShellSol A100

| kPa | Calculated | 0.25 |
|---------------------------------------|--|--|
| g/m³ | Calculated | 13 |
| % m/m | GC | >99 |
| mg/kg | GC | < 3 |
| mg/kg | ISO 20846 | < 0.5 |
| °C | IP 170 | 48 |
| % v/v | | 0.6 |
| % v/v | | 7.0 |
| °C | ASTM E659 | 507 |
| pS/m | ASTM D4308 | < 10 |
| - | - | 2.4 |
| °C | ASTM D611 | 14 |
| - | ASTM D1133 | 90 |
| °C | ASTM D97 | < -30 |
| mm ² /s | ASTM D445 | 0.89 |
| mN/m | Du Nouy ring | 29 |
| (cal/cm ³) ^{1/2} | - | 8.8 |
| - | - | 5.0 |
| - | - | 0.001 |
| kJ/kg | - | 325 |
| kJ/kg | - | 42000 |
| kJ/kg/°C | - | 1.8 |
| g/mol | Calculated | 122 |
| | g/m³ % m/m mg/kg mg/kg °C % v/v % v/v °C pS/m - °C - °C mm²/s mN/m (cal/cm³)¹/² kJ/kg kJ/kg/°C | g/m³ Calculated % m/m GC mg/kg GC mg/kg ISO 20846 °C IP 170 % v/v % v/v °C ASTM E659 pS/m ASTM D4308 °C ASTM D611 - ASTM D1133 °C ASTM D97 mm²/s ASTM D445 mN/m Du Nouy ring (cal/cm³)¹/² kJ/kg - kJ/kg - kJ/kg/°C - |

(#) In the Antoine temperature range, the vapor pressure P (kPa) at temperature T (°C) can be calculated by means of the Antoine equation: $\log P = A - B/(T+C)$

Test Methods

Copies of copyrighted test methods can be obtained from the issuing organisations:

American Society for Testing and Materials (ASTM) : www.astm.org International Organization for Standardization (ISO) : www.iso.org Deutsches Institut für Normung (DIN) : www.din.de

Shell Method Series (SMS) methods are issued by Shell Global Solutions International B.V., Shell Technology Centre, Amsterdam, The Netherlands. Requests for copies of SMS can be made through your local Shell Chemicals company.

N.B: For routine quality control local test methods may be applied. Such methods have been validated against those mentioned in this datasheet.

107 ShellSol A100

Quality

ShellSol A100 does not contain detectable quantities of polycyclic aromatics, heavy metals or chlorinated compounds.

Hazard Information

For detailed Hazard Information please refer to the Safety Data Sheet on www.shell.com/chemicals.

Storage Handling

Provided proper storage and handling precautions are taken we would expect ShellSol A100 to be technically stable for at least 12 months. For detailed advice on Storage and Handling please refer to the Safety Data Sheet on www.shell.com/chemicals.

Trademark

ShellSol is a Shell trademark.

All products purchased or supplied by Shell chemicals companies are subject to the terms and conditions set out in the contract, order confirmation and/or bill of lading. All other information supplied by Shell chemicals companies, including that herein, is considered accurate but is furnished upon the express condition that the customer shall make its own assessment to determine a product's suitability for a particular purpose. Except as may be set forth in the applicable contract, order confirmation and/or bill of lading, Shell chemicals companies make no warranty, express or implied, including regarding any information supplied or the data upon which it is based or the results to be obtained from the use of such products or information, or concerning product, whether of satisfactory quality, merchantability, fitness for any particular purpose or otherwise, or with respect to intellectual property infringement as a result of use of information or products, and none shall be implied.

The expression 'Shell Chemicals' refers to the companies of the Royal Dutch/Shell Group that are engaged in chemical businesses. Each of the companies that make up the Royal Dutch/Shell Group of companies is an independent entity and has its own separate identity.

107 ShellSol A100 April 2016